

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 03-May-2022

Revision Date: 03-May-2022

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name BENJAMIN MOORE FAST SANDING PRIMER WHITE
Product Code 50700
Alternate Product Code 50700
Product Class Water thinned paint
Color White
Unique Formula Identifier (UFI) XTY2-F0TM-Y004-4RMX
Recommended use Primers
Restrictions on use No information available

Manufacturer
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
Phone: 1-866-708-9180
www.benjaminmoore.com

Only Representative (OR)
Intertek Deutschland GmbH
Stangenstrasse 1
70771 Leinfelden-Echterdingen
Germany
Ph: +49-(0)-71127311152
e-mail: ies01.reach@intertek.com

Emergency Telephone
CHEMTREC:
+1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitization

Category 1A - (H317)

2.2. Label elements

Product Identifier
Contains 2-Methyl-4-isothiazolin-3-one



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

EUH208 - Contains (1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P321 - Specific treatment (see supplemental first aid instructions on this label)

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards**General Hazards**

No information available

3. Composition/information on ingredients**3.1 Substances****3.2 Mixtures**

| Chemical name | EINECS/ELINCS No. | CAS No. | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number |
|---|------------------------|------------|--------------------|---|---------------------------|
| Titanium dioxide | 236-675-5 257-372-4 | 13463-67-7 | >=10 - <15 | Not available | 01-2119489379-17-01 68 |
| Talc | 238-877-9 | 14807-96-6 | >=5 - <10 | Not available | Not available |
| Limestone | 215-279-6 | 1317-65-3 | >=1 - <5 | Not available | Not available |
| Kaolin, calcined | 266-340-9 | 66402-68-4 | >=1 - <5 | Not available | Not available |
| 1,2-Benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | >=0.01 - < 0.05 | Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | Not available |
| 2-Methyl-4-isothiazolin-3-one | 220-239-6 | 2682-20-4 | >=0.001 - <0.005 | Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410) | Not available |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) | 247-500-7 220-239-6 | 55965-84-9 | >=0.0001 - <0.0005 | Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) | Not available |

| | | | | | |
|--|--|--|--|--|--|
| | | | | Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | |
|--|--|--|--|--|--|

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Description of first aid measures

| | |
|-----------------------|---|
| General Advice | No hazards which require special first aid measures. |
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Inhalation | Move to fresh air. If symptoms persist, call a physician. |
| Ingestion | Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--|-----------------------------------|
| Most Important Symptoms/Effects | May cause allergic skin reaction. |
|--|-----------------------------------|

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes To Physician | Treat symptomatically. |
|---------------------------|------------------------|

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

| | |
|---------------------------------------|---|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable Extinguishing Media | No information available. |

5.2. Special hazards arising from the substance or mixture

| | |
|---|---|
| Specific Hazards Arising From The Chemical | Closed containers may rupture if exposed to fire or extreme heat. |
| Sensitivity to static discharge | No |

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautions Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

8. Exposure controls/personal protection

8.1. Control parameters

| Chemical name | European Union | Belgium | Bulgaria | Cyprus | France | Ireland | |
|--------------------------------|---|---|---|---|---|--|---|
| Titanium dioxide 13463-67-7 | - | TWA: 10 mg/m ³ | TWA: 10.0 mg/m ³ TWA: 1.0 mg/m ³ | - | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | |
| Talc 14807-96-6 | - | TWA: 2 mg/m ³ | TWA: 1.0 fiber/cm ³ TWA: 6.0 mg/m ³ TWA: 3.0 mg/m ³ | - | - | TWA: 10 mg/m ³ TWA: 0.8 mg/m ³ STEL: 30 mg/m ³ STEL: 2.4 mg/m ³ | |
| Limestone 1317-65-3 | - | TWA: 10 mg/m ³ | TWA: 1.0 fiber/cm ³ TWA: 10 mg/m ³ | - | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ | |
| Kaolin, calcined 66402-68-4 | - | - | TWA: 0.05 mg/m ³ TWA: 1.0 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ | - | TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 10 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.15 mg/m ³ | |
| Chemical name | Germany | Greece | Hungary | Iceland | Italy | Latvia | |
| Titanium dioxide 13463-67-7 | - | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | - | 6 mg/m ³ TWA | - | TWA: 10 mg/m ³ | |
| Talc 14807-96-6 | TWA: 1.25 mg/m ³ TWA: 10 mg/m ³ | TWA: 10 mg/m ³ TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | - | - | - | |
| Limestone 1317-65-3 | - | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | TWA: 10 mg/m ³ | - | - | - | |
| Kaolin, calcined 66402-68-4 | TWA: 0.2 mg/m ³ TWA: 0.02 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ | - | - | - | TWA: 2 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ | |
| Chemical name | Lithuania | Netherlands | Poland | Romania | Spain | Sweden | United Kingdom |
| Titanium dioxide 13463-67-7 | TWA: 5 mg/m ³ | - | STEL: 30 mg/m ³ TWA: 10 mg/m ³ | TWA: 10 mg/m ³ STEL: 15 mg/m ³ | TWA: 10 mg/m ³ | TLV: 5 mg/m ³ | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |
| Talc 14807-96-6 | TWA: 2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.25 mg/m ³ | TWA: 4 mg/m ³ TWA: 1 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TLV: 2 mg/m ³ TLV: 1 mg/m ³ | TWA: 1 mg/m ³ STEL: 3 mg/m ³ |
| Limestone 1317-65-3 | - | - | - | TWA: 10 mg/m ³ | - | - | TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ |
| Kaolin, calcined 66402-68-4 | TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ | STEL: 10 mg/m ³ TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³ | TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ | - | TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ |

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

| | |
|-------------------------|--|
| Eye Protection | Safety glasses with side-shields. |
| Skin Protection | Lightweight protective clothing. |
| Hand protection | Impervious gloves. |
| Hygiene Measures | Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Appearance | liquid |
| Odor | little or no odor |
| Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks/ Method</u> |
|--------------------------------|--------------------------|------------------------|
| Density (g/L) | 1366 - 1378 | None known |
| Relative Density | 1.36 - 1.38 | |
| pH | No information available | None known |
| Viscosity (cps) | No information available | None known |
| Solubility(ies) | No information available | None known |
| Water solubility | No information available | None known |
| Evaporation Rate | No information available | None known |
| Vapor pressure | No information available | None known |
| Vapor density | No information available | None known |
| Wt. % Solids | 45 - 55 | None known |
| Vol. % Solids | 30 - 40 | None known |
| Wt. % Volatiles | 45 - 55 | None known |
| Vol. % Volatiles | 60 - 70 | None known |
| Boiling Point (°C) | 100 | None known |
| Freezing Point (°C) | 0 | None known |
| Melting Point (°C) | No information available | None known |
| Pour Point | No information available | None known |
| Flash Point (°C) | Not applicable | None known |
| Flammability (solid, gas) | No information available | None known |
| Upper flammability limit: | No information available | None known |
| Lower flammability limit: | No information available | None known |
| Autoignition Temperature (°C) | No information available | None known |
| Decomposition Temperature (°C) | No information available | None known |
| Partition coefficient | No information available | None known |
| Explosive properties | No information available | None known |
| Oxidizing Properties | No information available | None known |

Section 10: STABILITY AND REACTIVITY

| | |
|-------------------------|-----------------|
| 10.1. Reactivity | |
| Reactivity | Not Applicable. |

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Ingestion There is no data available for this product.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 98,392.20 mg/kg

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---|--|--|
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | | |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | = 1020 mg/kg (Rat) | > 2000 mg/kg (Rat) | |
| 2-Methyl-4-isothiazolin-3-one 2682-20-4 | | = 200 mg/kg (Rabbit) | |
| 5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | = 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat) | = 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit) | = 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h |

| | |
|----------------------------------|--------------------------------------|
| Skin corrosion/irritation | No information available. |
| Eye damage/irritation | No information available. |
| Sensitization | May cause an allergic skin reaction. |
| Mutagenic Effects | No information available. |

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | IARC |
|--------------------------------|----------------|--------------------------------|
| Titanium dioxide 13463-67-7 | | 2B - Possible Human Carcinogen |

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

| | |
|---------------------------------|---------------------------|
| Reproductive Effects | No information available. |
| Developmental Effects | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Neurological Effects | No information available. |
| Target organ effects | No information available. |
| Symptoms | No information available. |
| Aspiration Hazard | No information available. |

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|--|--|---|---|
| Talc 14807-96-6 | | LC50: >100g/L (96h, Brachydanio rerio) | |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata) | LC50: =1.6mg/L (96h, Oncorhynchus mykiss) | EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna) |

12.2. Persistence and degradability**Persistence / Degradability** No information available.**12.3. Bioaccumulative potential****Bioaccumulation** No information available.

| Chemical name | Partition coefficient |
|--|-----------------------|
| 1,2-Benzisothiazolin-3-one 2634-33-5 | 1.3 |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | -0.71 - 0.75 |

12.4. Mobility in soil**Mobility in soil** No information available.**Mobility in Environmental Media** No information available.**12.5. Results of PBT and vPvB assessment****PBT and vPvB assessment** No information available.

| Chemical name | PBT and vPvB assessment |
|--|--|
| Titanium dioxide 13463-67-7 | The substance is not PBT / vPvB PBT assessment does not apply |
| Talc 14807-96-6 | The substance is not PBT / vPvB |
| Kaolin, calcined 66402-68-4 | PBT assessment does not apply |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | The substance is not PBT / vPvB |
| 2-Methyl-4-isothiazolin-3-one 2682-20-4 | The substance is not PBT / vPvB |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | The substance is not PBT / vPvB |

12.6. Other adverse effects**Other adverse effects** No information available**Section 13: DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods****Waste from Residues/Unused Products** Dispose of in accordance with the European Directives on waste and hazardous waste.**Contaminated Packaging** Empty containers should be taken for local recycling, recovery or waste disposal.**EWC waste disposal No** No information available

Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

| | |
|-------------|---------------|
| IMDG | Not regulated |
| RID | Not regulated |
| ADR | Not regulated |
| ADN | Not regulated |
| IATA | Not regulated |

Section 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Occupational Illnesses (R-463-3, France)**

| Chemical name | French RG number |
|---|------------------|
| Talc 14807-96-6 | RG 25 |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | RG 65 |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

| | |
|---|--|
| AICS | No - Not all of the components are listed. |
| DSL: Canada | Yes - All components are listed or exempt. |
| EINECS: European Union Inventory of Existing Substances | No - Not all of the components are listed. |
| ENCS - Japan Existing and New Chemical Substances | No - Not all of the components are listed. |
| IECSC - China Inventory of Existing Substances | No - Not all of the components are listed. |
| KECL | No - Not all of the components are listed. |
| PICCS Philippines Inventory of Chemicals and Chemical Substances | No - Not all of the components are listed. |
| TSCA: United States | Yes - All components are listed or exempt. |

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H310 - Fatal in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H330 - Fatal if inhaled
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data Data from internal and external sources

Prepared By Product Stewardship Department
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
800-225-5554

Issuing Date 03-May-2022

Revision Date: 03-May-2022

Revision Summary Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet